



Swim Club II FunSlide (Right Curve)



Specification Number:	SRS-204	
Product Description:	Swim Club II FunSlide (Right Curve)	
S.R. Smith Part Number:	645-209-5811 to 645-209-5818	Scale: NTS
Revision:	A	Date: 08/19/03
Written By:	T. Weil	Date: 08/19/03
Approved By:	B. Bisceglia	Date: 08/21/03
Page 1 of 4	Proprietary and confidential: The information contained in this specification is the sole property of S.R. Smith LLC. Any reproduction in part or whole without the written consent of S.R. Smith LLC is prohibited.	

S.R. Smith, LLC
P.O. Box 400, 1017 SW Berg Parkway
Canby, Oregon 97013
Tel: (888) 677-7776 (503) 266-2231
Fax: (503) 266-4334
www.srsmith.com


Swim Club II FunSlide (Left Curve)




Specification Number:	SRS-204	
Product Description:	Swim Club II FunSlide (Left Curve)	
S.R. Smith Part Number:	645-209-5821 to 645-209-5828	Scale: NTS
Revision:	A	Date: 08/19/03
Written By:	T. Weil	Date: 08/19/03
Approved By:	B. Bisceglia	Date: 08/21/03
Page 2 of 4	Proprietary and confidential: The information contained in this specification is the sole property of S.R. Smith LLC. Any reproduction in part or whole without the written consent of S.R. Smith LLC is prohibited.	

S.R. Smith, LLC
P.O. Box 400, 1017 SW Berg Parkway
Canby, Oregon 97013
Tel: (888) 677-7776 (503) 266-2231
Fax: (503) 266-4334
www.srsmith.com

Slide Placement



CRITICAL DIMENSIONS FOR SLIDE PLACEMENT



SLIDE MINIMUM CLEARANCE AREA

Specification Number:	SRS-204	
Product Description:	Swim Club II FunSlide	
S.R. Smith Part Number:	645-209-5811 to 645-209-5828	Scale: NTS
Revision:	A	Date: 08/19/03
Written By:	T. Weil	Date: 08/19/03
Approved By:	B. Bisceglia	Date: 08/21/03
Page 3 of 4	Proprietary and confidential: The information contained in this specification is the sole property of S.R. Smith LLC. Any reproduction in part or whole without the written consent of S.R. Smith LLC is prohibited.	

S.R. Smith, LLC
P.O. Box 400, 1017 SW Berg Parkway
Canby, Oregon 97013
Tel: (888) 677-7776 (503) 266-2231
Fax: (503) 266-4334
www.srsmith.com



S.R. Smith LLC Commercial Division

Product Specifications - Written

Product Name: Swim Club II FunSlide

Part Number: 645-209-5811 to 645-209-5828

General Notes:

The **Swim Club II** is a tall height slide with an acrylic runway and polished, stainless steel ladder, handrails, and legs. The Swim Club II is available in both a left and right curve, as well as in a variety of colors. This slide has been tested by outside independent agencies and has been found to conform to the standards of the U.S. Consumer Product Safety Commission (CPSC).

Application:

This slide is intended for heavy-duty use on in-ground residential or commercial pools. With proper in-deck anchoring, this product is suitable for use in most geographic regions.

Specifications:

- 1 **Runway:** The slide runway is made from a thick, durable, vacuum formed acrylic tray. The underside of the runway is reinforced with formed acrylic channels to keep the slide shape. A water delivery system provides a constant, substantial water flow from the top of the runway and is designed to be connected to a standard U.S. outdoor faucet.
- 2 **Ladder and Handrail Assembly:** The two (2) ladder posts are made from 1.90" O.D. x .065 wall (48.3mm x 1.65) polished type 316L stainless steel. The ladder is inclined 15° off vertical for ease of climbing. The upper handrail is made from 1.00" O.D. x .065 wall (25.4mm x 1.65) 316L stainless steel. Six (6) steps are mounted to the frame. The steps are constructed of polished 304 stainless steel with nominal dimensions of 3" x 20 (76.2mm x 508). The step frames have replaceable, black, non-skid tread inserts.
- 3 **Legs:** The legs are made from 1.90" O.D. x .065 wall (48.3mm x 1.65) polished type 316L stainless steel tube and are designed to bolt straight into the runway.
- 4 **Escutcheon:** (p/n EP-100F) The round escutcheon plate is 4.5" (114.3mm) in dia. and is stamped of .023" (58mm) polished, type 304 stainless steel.
- 5 **Anchor Assembly (Sold Separately)** (p/n AS-100B, see spec sheet for SRS-908): These 4" deep anchor sockets are bronze castings. They are intended for heavy-duty commercial use and fixtures secure by means of a wedge assembly. A 1/4-20 UNC brass grounding screw is included. Alternative anchor assemblies include p/n IAS-100 (see spec sheet for SRS-913).

Additional Product Numbers and Shipping Weight:

MODEL NUMBER	DESCRIPTION	SHIPPING WEIGHT
645-209-5811	Tile Blue RT Curve	125 lbs. (56.7kg)
645-209-5812	Radiant White RT Curve	125 lbs. (56.7kg)
645-209-58120	Pewter Gray RT Curve	125 lbs. (56.7kg)
645-209-58121	Silver Gray RT Curve	125 lbs. (56.7kg)
645-209-5813	Marine Blue RT Curve	125 lbs. (56.7kg)
645-209-5814	Strawberry Coral RT Curve	125 lbs. (56.7kg)
645-209-5815	Sapphire Blue RT Curve	125 lbs. (56.7kg)
645-209-5816	Emerald Green RT Curve	125 lbs. (56.7kg)
645-209-5818	Aged Ivory RT Curve	125 lbs. (56.7kg)

MODEL NUMBER	DESCRIPTION	SHIPPING WEIGHT
645-209-5821	Tile Blue LFT Curve	125 lbs. (56.7kg)
645-209-5822	Radiant White LFT Curve	125 lbs. (56.7kg)
645-209-58220	Pewter Gray LFT Curve	125 lbs. (56.7kg)
645-209-58121	Silver Gray LFT Curve	125 lbs. (56.7kg)
645-209-5823	Marine Blue LFT Curve	125 lbs. (56.7kg)
645-209-5824	Strawberry Coral LFT Curve	125 lbs. (56.7kg)
645-209-5825	Sapphire Blue LFT Curve	125 lbs. (56.7kg)
645-209-5826	Emerald Green LFT Curve	125 lbs. (56.7kg)
645-209-5828	Aged Ivory LFT Curve	125 lbs. (56.7kg)

MODEL NUMBER	DESCRIPTION	SHIPPING WEIGHT
75-209-5200	Swim club anchor kit (containing six (6) as-100b anchors and six (6) ep-100f escutcheon plates)	12 lbs. (6.8kg)

Specification Number:	SRS-204	
Product Description:	Swim Club II FunSlide	
S.R. Smith Part Number:	645-209-5811 to 645-209-5828	
Revision:	A	Date: 08/19/03
Written By:	T. Weil	Date: 08/19/03
Approved By:	B. Bisceglia	Date: 08/21/03
Page 4 of 4	Proprietary and confidential: The information contained in this specification is the sole property of S.R. Smith LLC. Any reproduction in part or whole without the written consent of S.R. Smith LLC is prohibited.	

S.R. Smith, LLC
P.O. Box 400, 1017 SW Berg Parkway
Canby, Oregon 97013
Tel: (888) 677-7776 (503) 266-2231
Fax: (503) 266-4334
www.srsmith.com